



EdgeAI

Computing Solutions

Accelerating AI Transformation in Embedded Markets

ADVANTECH

Enabling an Intelligent Planet

EdgeAI

Computing Solutions

Accelerating AI Transformation in Embedded Markets

Table of Contents

EdgeAI in Perspective

AI Is Driving Cross-Dimensional Edge Success	03
Bridging AI Technologies and Applications	04
Co-Create a Thriving EdgeAI Ecosystem	05
AI Technology, Now & for the Future	06

Shaping the Future of EdgeAI

EdgeAI Computing Solutions	07
AI-Ready Edge Systems	09
AI on Modules & Boards	11
AI Acceleration Modules	13
AI Performance Benchmarks	15
Your Guide to Optimal EdgeAI Solutions	16
EdgeAI Software Architecture	17
Rapid AI SDK Development Toolkit	18
EdgeAI Computing Design-In Services	19
Advantech is Your Best EdgeAI Partner	20

Case Studies

Application 1: Turkey Deploys AI-Assisted Traffic Surveillance and Analysis	21
Application 2: Enhancing PCB Quality with an AI Defect Detection System	22

Product Selection Guide	23
--------------------------------	----

AI Is Driving Cross-Dimensional Edge Success

Minimize Resources

AI handles redundant or repetitive tasks, allowing human resources to focus on more strategic roles

Enhance Data Processing

Accurate analysis and predictions enhance decision-making, reveal opportunities, and drive innovation

Maximize Efficiency


Reduce manual intervention for quicker responses and better service personalization



Swift Disease Diagnosis



Lights-Out Manufacturing



Cross-Dimensional
Competitive Advantage



From Hands to AI Minds


*Application
Value*

*AI Computing
Power*



Traffic-Free Tomorrow

Bridging AI Technologies and Applications



Standardized Platform



Enabling quick adoption and minimizing upgrade effort with 20+ form factors for various AI performance needs.

Multifaceted Technology



Always offering suitable products for any application by integrating diverse AI technologies, AI power, size or specifications required.

Open Ecosystem



Unlocking Edge possibilities to accelerate AI growth and creating greater value through an open EdgeAI ecosystem that connects leading partners.



With Advantech, we enhance performance and accessibility for AI inference deployment anywhere.

— **René Torres,**

Vice President, Sales, Marketing and Communications Group
General Manager, Network & Edge Solution Sales



NVIDIA will continue to deepen our collaboration with Advantech and provide AI applications from edge to cloud, realizing AI in various applications.

— **Eunice Chiu,**

NVIDIA VP and GM Taiwan



By collaborating with Advantech, we drive innovation in shaping a new IoT world, ensuring seamless AI connectivity, efficiency, and privacy.

— **Dev Singh,**

VP & GM of Industrial, Qualcomm



Axelera AI and Advantech are working together to make AI more accessible and impactful across our society.

— **Fabrizio Del Maffeo,**

CEO and Co-Founder, Axelera AI

Co-Create a Thriving EdgeAI Ecosystem

Diverse AI technologies and inconsistent interfaces complicate customer decisions and slow AI deployment progress. Advantech addresses this by uniting top-tier partners and leveraging our design capabilities to foster a thriving and open AI ecosystem.



Advantech and AMD work together to empower Edge applications with AI-enhanced experiences.

— **Gaur, Rajneesh,**

Embedded BU head and CVP, AMD



With Advantech's expertise in edge computing and Hailo's cutting-edge technology, we are providing our customers with best-in-class AI solutions for edge applications.

— **Orr Danon,**

Hailo CEO



By partnering with Advantech, we jointly drive innovation and security services to empower a wide range of edge applications, transforming our vision into reality.

— **Robert Thompson,**

Director of Edge Processing Ecosystems, NXP




We're partnering with Advantech to implement and popularize generative AI applications on-premises through EdgeAI devices and technology.

— **Pua Khein Seng,**

CEO of Phison Electronics Corp

AI Technology, Now & for the Future

	GPU 	NPU 	CPU 
Advantages	• Mature technology • Extreme performance for AI	• Best AI performance per watt ratio • High flexibility for AI expansion	• High integration reduces compatibility issues • Size-friendly, cost advantages
Usage	• Ideal for training and inference, with many execution units • Enables large-scale data processing	• Optimized for inference • Widely adopted for extending AI features in existing systems due to its flexibility	• Handles AI & applications together and can handle high complexity • High compatibility makes development easier



EdgeAI Computing Solutions



AI Acceleration Modules

AI-on-Modules

EdgeAI

Edge AI SDK

Edge AI Enterprise SSD

Inference Systems

AI Servers

Edge AI applications span a wide range of industries, including manufacturing, smart cities, retail, and healthcare. Advantech offers standard platforms from low-power to high-performance EdgeAI computers and AI software development environments, efficiently handling diverse AI workloads and accelerating Edge AI deployment.



■ Partnership ■ Own Build

AI-Ready Edge Systems

Advantech's AI-Ready Edge Systems offer a variety of solutions to meet customers' Edge AI Inference application needs in terms of CPU performance, AI computing power, thermal management, and application-specific I/O requirements. These solutions help customers quickly integrate their applications with AI computing capabilities.

EdgeAI Server



AIR-500/700 series

- Server-grade computing
- Multiple GPU AI cards
- Fan-based



AI Enabled Application System



AIR-300 series

- High-performance computing
- GPU / NPU AI card
- Fan-based



AIR-100 series

- Power-efficient computing
- Integrated NPU / NPU AI card
- Fanless



AI Gateway



AIR-000 Series

- Light computing
- Integrated NPU
- Fanless



Star Products



Compact Fanless EdgeAI System AIR-150

Phase In 2024 Q2 Longevity 2034 Q1

Mobile-Grade Platform with NPU Acceleration

- 13th Gen Intel® Core™ 15W CPU
- 26 TOPs powered by Hailo-8 AI module

Comprehensive I/Os with NPU Toolkits

- LAN, USB, COM, DIO, CAN bus ports for Industrial Edge applications
- Easily deploy pre-trained AI applications with HAILO TAPPAS



1.5U Slim EdgeAI System AIR-310

Phase In 2024 Q3 Longevity 2034 Q1

Desktop-Grade Platform with Slim GPU Acceleration

- Intel® Core™ 14th Gen 65W CPU
- 8.64 TFLOPs powered by the RTX A2000 MXM AI card

Comprehensive I/Os with Inference Toolkits

- LAN, USB, COM, DIO, CAN bus ports for Industrial Edge applications
- Rapid evaluation and deployment of inference models with Edge AI SDK



4U EdgeAI Server AIR-520

Phase In 2024 Q3 Longevity 2028 Q2

Server-Grade Platform with Multi-GPU Acceleration

- AMD EPYC™ 7003 series 225W CPU
- 182 TFLOPs powered by 2 x RTX 6000 Ada PCIe AI cards

Connectivity and AI Model Training

- Built-in 10GbE LAN and BMC for remote access and management
- LLM fine-tune training with aiDAPTIV+ solution

AI on Modules & Boards

Advantech's AI on Modules & Boards offer exceptional design flexibility, reducing development time and accelerating the integration process. These comprehensive form factors serve various Edge inference applications with corresponding AI performance and software solutions.

AI on Module

- Low Latency & Power-Saving Computing
- Integrated NPU
- Flexible & Easy Migration



AI Application Board

- AI-Accelerated Computing
- Extendable GPU / NPU Card
- Application-Aligned I/O



EdgeAI Server Board

- 20+ Core Server-Grade Computing
- Multiple GPU Cards
- High-Bandwidth Connectivity



COM+HPC

AOM

3.5" SBC

PICO-ITX

Mini-ITX

Micro-ATX

ARM X86

Star Products



Learn More

Unleashing On-Device AI ROM-2860

Phase In 2024 Q3 Longevity 2034 Q3

Tiny Yet High-Performance Processing

- Qualcomm® QCS6490, 8 cores & LPDDR5 memory
- Integrated NPU, performance up to 12 TOPs

Refined Yet Complete I/O

- Supports VPU, 1 x MIPI-DSI x4, 1 x DP & 1 x eDP1.4 flexible display, to fulfill image processing
- I/O options 2 x GbE, 1 x USB 3.2 Gen2, 2 x PCIe for essential connectivity



Learn More

Balanced AI Performance and Efficiency MIO-5377R

Phase In 2023 Q3 Longevity 2033 Q1

Brilliant Computing Power

- 13th Gen Intel® Core™ Processor with up to 14 Cores & DDR5 memory
- dGPU Nvidia A4500 with MIOe-UMXM, FP32 performance of 17.66 TFLOPs

Flexible & Abundant Expansion

- 8 x USB, 4 x UARTs 3 x I2C, 2 x CAN bus for cameras & sensors under AI detection scenarios
- USB4 with PCIe, M.2 B-/E-/M-Key available to extend AI acceleration



Learn More

Driving AI Workload Breakthroughs AIMB-592

Phase In 2023 Q1 Longevity 2028 Q2

Ultimate Computing Power

- AMD Milan EPYC™ 7003, 64 cores & DDR4 memory
- Accommodates double-deck NVIDIA RTX A6000 PCIe AI cards, RT core performance up to 151.2 TFLOPs

High-Throughput Connectivity

- Four PCIe Gen 4.0 x16 slots to maximize AI computing
- Dual 10GbE LAN high-bandwidth connectivity empowers big data cloud services

AI Acceleration Modules

Advantech offers the EAI series, which features plug-in AI modules and GPU cards designed to expedite real-time inference on edge platforms. This series enables customers to swiftly integrate AI computing using standard form factors, offering highly flexible solutions that cater to diverse AI performance and power requirements.

M.2 Modules

EAI-1000 series

- Power-Efficient AI
- Compact M.2 2242/2280
- AMR/AGV, license plate recognition

Space utility ★★★★★
Power saving ★★★★★
Performance ★★★★★



MXM Cards

EAI-2000 series

- Integrated AI
- Slim MXM Type A / B
- Medical analysis, robotics arms

Space utility ★★★★★
Power saving ★★★★★
Performance ★★★★★



PCIe Cards

EAI-3000 series

- High-Performance AI
- Standard PCIe x16/x8
- Traffic surveillance, AOI inspection

Space utility ★★★★★
Power saving ★★★★★
Performance ★★★★★



intel. HAILO

Star Products



[Learn More](#)

Hailo-8 M.2 AI Module EAI-1200

Phase In 2024 Q3 Longevity 2029 Q4

Power-Efficiency AI

- 26 TOPS
- TDP up to 8.25W

High Compatibility

- x86/ARM-based platform
- -40 ~ 85°C working temp. support



[Learn More](#)

Intel® Arc™ A370M MXM Type A GPU Card EAI-2100

Phase In 2023 Q3 Longevity 2028 Q4

Integrated AI

- 4.2 TFLOPs
- TDP up to 40W

Easy Integration

- Wide range 9-20V input
- Optional heat spreader & fansink with a smart fan



[Learn More](#)

Intel® Arc™ A380E PCIe x16 GPU Card EAI-3101

Phase In 2023 Q3 Longevity 2028 Q4

High-Performance AI

- 5.02 TFLOPs
- TDP up to 85W

Rapid AI Development

- Edge AI SDK integration
- DirectX, OpenGL, OpenCL, Vulkan API support

AI Performance Benchmarks

The use cases of Edge AI are highly diversified, making it difficult for customers to identify a suitable AI solution for different purposes and uses. This AI performance benchmark consists of major evaluation factors such as throughput, latency, and power/cost efficiency, which can help users find the most suitable AI solution for their application.



Throughput



Latency




Efficiency


Definition	The number of images processed per second.	The time delay between a data request and its response.	How much energy and cost are being used effectively for inferencing
Measurement	Images / Second Higher is better	Milliseconds Lower is better	Throughput / Watt Throughput / Dollar Higher is better
Scenario	High-volume data inferencing	Real-time AI analysis	Prolonged edge computing
Application	Surveillance, AOI inspection	AMR, drones	Smart retail, medical analysis

Your Guide to Optimal EdgeAI Solutions


Discrete GPUs usually deliver **higher throughput**



NPUs excel in low-latency, **lightweight AI** tasks; **discrete GPUs** handle **heavy AI** workloads




Intel Arc GPU offers **higher cost-efficiency**; the **Hailo-8 NPU** provides **power-efficiency**



Testing conditions: Running popular object detection model such as YOLOv5n, YOLOv5m, YOLOv5x by ONNX conversion under Ubuntu 22.04 (Kernel version: 5.15, Batch size=1, Data type=INT8, Image resolution: 640x640)

EdgeAI Software Architecture

Advantech supports customers' AI projects with integrated hardware and software solutions. Our strategy includes providing AI development environments for various platforms, offering AI model training and inference tools, and enhancing scalability with cloud services. This approach ensures robust foundations, multi-platform support, relevant tools for all development stages, and continuous solution refinement through customer interaction.



Rapid AI SDK Development Toolkit

With Advantech's EdgeAI platforms and EdgeAI SDK, customers can start developing right away without the hassle of setup. The EdgeAI SDK ensures seamless compatibility, saving time and effort. The Benchmark Tool in the EdgeAI SDK integrates advanced AI inference engines, providing quick insights into AI processing capabilities with minimal R&D effort. The verified Runtime SDK and diverse AI models help jumpstart customers' AI application development promptly.

EdgeAI SDK



Inference Benchmark Tool

No-code GUI for rapid AI inference assessment



Inference Deployment Platform

Managing AI containers remotely with scalable updates


Inference Runtime SDK

Compatible installation on Advantech edge devices

TensorRT OpenVINO ROCm HailoRT eIQ
Neural Processing SDK **NeuroPilot**



Unlock AI potential with a unified toolset for any inference platform



Global Customer Support

Inference computing and edge-to-cloud consulting services



EdgeAI Computing Design-In Services

To create competitive advantages, AI must substantively contribute to application value. Advantech's EdgeAI Design-In Service offers optimized hardware platforms for CPU power and heat dissipation, along with compliance and security services. It provides comprehensive software support from AI model generation to deployment and integrates vision AI camera hardware and software, enabling quick AI integration for superior competitiveness.

Application Value

Certification & Security

- CE/FCC/UL/CCC/BSMI
- IEC-62443
- NVIDIA-Certified Systems™



Application Computing

Heterogeneous architecture :

- x86 platform
- Arm platform


intel. AMD. NXP Qualcomm

Power Stability

- PDN simulation
- Bode plot & phase margin
- Derating & inrush management

Thermal Optimization

- Thermal design & simulation
- Balance of reliability & cost



AI Integration

AI Dev. Environment

- OS: Ubuntu, Windows
- AI runtime SDK
- AI model training & inferencing

EdgeAI SDK NVIDIA AI Enterprise intel GETi DeviceOn

AI Computing Integration

- Extension modules: M.2, MXM, PCIe
- Integrated NPU

NVIDIA. HAILLO intel. AMD. Qualcomm

AI Enterprise SSD



- SQ aiSSD with aiDAPTIV+ technology
- Local, offline, affordable LLM fine-tuning

Camera Integration

- MIPI-CSI, GMSL, FPD-Link, Ethernet, USB
- Partner ISP tuning and driver integration

D3 e-con Systems innodisk



Over 40 Years of Experience in the Embedded Market

In-depth understanding of
embedded application requirements



Design-In Service for Platform and Application Integration

Thermal solutions, certifications,
Edge AI SDK, Ubuntu

Advancing **EdgeAI** for Competitive Leadership with Advantech ,,



Rich and Reliable Standard Product Portfolio

AI acceleration modules, AI on modules
and boards, edge AI systems, AI server
boards and systems, software



Deep Collaboration with AI Chipset Partners

NVIDIA, Intel, AMD, Qualcomm,
NXP, MediaTek, Hailo, Axelera

Use Case

Turkey Deploys AI-Assisted Traffic Surveillance and Analysis

Introduction

Enhancing traffic efficiency to alleviate road congestion is crucial for the development of smart cities. Advantech's EAI-3100 AI module, the AIMB-289 motherboard powered by Intel® Core™ 14th Gen Desktop Processors, and ISSD's VIERO-AI Analysis system provide real-time traffic monitoring surveillance systems at 750 intersections across various cities in Turkey. This AI-accelerated analysis tracks vehicle count, density, and speed to enhance urban traffic flow and safety.

Challenges

- Traditional video processing units struggle with detailed road monitoring and analytics under bad ambient light conditions.
- Real-time traffic flow analytics require advanced image processing, recognition, and analytical capabilities.

Solutions


- AIMB-289, the latest high-performance THIN Mini-ITX for 1U systems with essential PCIe and multiple 2.5G LAN ports and the EAI-3100 with the Intel® Arc™ A370M GPU for complex AI inferencing
- A one-stop solution featuring SQF-SM8 SSD and SQR-SD4N DDR4



Results

50% lower latency for data transmission

33% lower construction costs



Use Case

Enhancing PCB Quality with an AI Defect Detection System

Introduction


Traditional PCB manufacturers rely on rule-based machine vision algorithms for defect inspection, requiring skilled inspectors for rechecks. A leading PCB manufacturer with branches in Taiwan, China, and Japan aims to improve DIP and SMT yield rates using AI, as low contrast causes 70-80% underkill rates in automated visual inspections.

Challenges

- Long development time is required to switch from rule-based AOI to a deep learning CNN approach.
- AI model retraining at the production line is required for continuous accuracy improvement.

Solutions

- Powerful AIR-030 edge inference system with vertical I/O tailored to the application.
- AIR-520 with BMC server-grade manageability and dual GPU cards for re-training.
- Partnered with Phison's aiDAPTIV+ AOI service for customized fine-tuned models.



AI Ready Edge Systems

intel.



AIR-510

NVIDIA RTX

- Intel® Core™ 14th Gen processors
- NVIDIA Certified with 1x RTX 6000 Ada
- AI performance up to 91 TFLOPs (FP32)



AIR-310

NVIDIA RTX **Intel ARC**

- Intel® Core™ 14th Gen processors
- 1x Intel Arc A370M/RTX A2000
- AI performance up to 8 TFLOPs (FP32)



AIR-150

HAILO

- 13th Gen Intel® Core™ processors
- 1x Hailo-8 AI module
- AI performance up to 26 TOPs



AFE-R770

HAILO

- Intel® Core™ 14th Gen processors
- 1x Hailo-8 AI module
- AI performance up to 26 TOPs

AMD



Coming Soon

NVIDIA

AIR-770

- AMD EPYC™ 8004 series processor
- 4x Nvidia L40S GPU
- AI performance up to 366 TFLOPs (FP32)



AIR-520

NVIDIA RTX

- AMD EPYC™ 7003 series processor
- NVIDIA Certified with 2x RTX 6000 Ada
- AI performance up to 182 TFLOPs (FP32)



AIR-530

NVIDIA RTX

- NVIDIA IGX Orin processor
- NVIDIA Certified with 1x RTX 6000 Ada
- AI performance total up to 1705 TOPs



AIR-030

NVIDIA RTX

- NVIDIA Jetson AGX Orin processor
- NVIDIA Ampere architecture GPU
- AI performance up to 275 TOPs

AI on Modules and Boards

intel



Learn More

Mini-ITX AIMB-292

NVIDIA
RTX

- Intel® Core™ 14th Gen processors
- NVIDIA RTX A4500 MXM GPU
- AI performance up to 17 TFLOPs (FP32)



Learn More

3.5" SBC MIO-5377R

NVIDIA
RTX

- 13th Gen Intel® Core™ processors
- NVIDIA RTX A4500/A1000 MXM GPU
- AI performance up to 17 TFLOPs (FP32)



Learn More

3.5" SBC AFE-R360

- Intel® Core™ Ultra processors
- NVIDIA A4500 MXM/Hailo-8 AI module
- AI performance up to 17 TFLOPs (FP32)



Learn More

COM HPC Client Size A SOM-A350

- Intel® Core™ Ultra processors
- Integrated NPU in SoC
- AI performance up to 32 TOPs

intel

AMD



Learn More

COM Express Basic T6 SOM-5885

- Intel® Core™ Ultra processors
- Integrated NPU in SoC
- AI performance up to 32 TOPs



Learn More

Micro-ATX AIMB-592

NVIDIA
RTX


- AMD EPYC™ 7003 series processor
- 2x NVIDIA RTX A6000
- AI performance up to 151 TFLOPs (FP32)



Learn More

Mini-ITX AIMB-2210

- AMD Ryzen™ 8000 series processor
- Integrated XDNA NPU in SoC
- AI performance up to 39 TOPs



Learn More

COM Express Compact T6 SOM-6873

- AMD Ryzen™ 8000 series processor
- Integrated XDNA NPU in SoC
- AI performance up to 39 TOPs

AI on Modules and Boards

Qualcomm

Rockchip



[Learn More](#)

AOM 1.0 AOM-7721

- Qualcomm X Elite processor
- Integrated Hexagon NPU in SoC
- AI performance up to 45 TOPs



[Learn More](#)

OSM 1.1 ROM-2860

- Qualcomm QCS6490 processor
- Integrated Hexagon NPU in SoC
- AI performance up to 12 TOPs



[Learn More](#)

AOM Nano AOM-3411

- Rockchip RK3576 processor
- Integrated RKNN NPU in SoC
- AI performance up to 6 TOPs



[Learn More](#)

SMARC 2.1 ROM-6881

- Rockchip RK3588 processor
- Integrated RKNN NPU in SoC
- AI performance up to 6 TOPs

NXP



[Learn More](#)

AOM Nano AOM-3511

- NXP i.MX95 processor
- Integrated NPU in SoC
- AI performance up to 2 TOPs



[Learn More](#)

SMARC 2.1 ROM-5722

- NXP i.MX 8M Plus processor
- Integrated NPU in SoC
- AI performance up to 2.3 TOPs



[Learn More](#)

OSM 1.1 ROM-2820

- NXP i.MX93 processor
- Integrated NPU in SoC
- AI performance up to 0.5 TOPs

AI Acceleration Modules

intel.



[Learn More](#)

PCIe

EAI-3101

- Intel® Arc™ A380E
- PCIe 4.0 x16 Riser Card
- AI performance up to 5 TFLOPs (FP32)



[Learn More](#)

PCIe

EAI-3100

- Intel® Arc™ A370M
- PCIe 4.0 x16 Riser Card
- AI performance up to 4 TFLOPs (FP32)



[Learn More](#)

MXM

EAI-2100

- Intel® Arc™ A370M
- MXM Type A 3.1
- AI performance up to 4 TFLOPs (FP32)

HAILO



Coming Soon

PCIe

EAI-3300

- 2x Hailo-8 AI Processor
- PCIe 3.0 x16 Riser Card
- AI performance up to 52 TOPs



[Learn More](#)

M.2

968DD00323

- Hailo-8 AI Processor
- M.2 Key B+M, 2242/2260/2280
- AI performance up to 26 TOPs



[Learn More](#)

M.2

968DD00322

- Hailo-8 AI Processor
- M.2 Key A+E, 2230
- AI performance up to 26 TOPs



[Learn More](#)

M.2

968DD00320

- Hailo-8 AI Processor
- M.2 Key M, 2242/2260/2280
- AI performance up to 26 TOPs

Regional Service and Customization Centers

China | Kunshan
86-512-5777-5666

Taiwan | Taipei
886-2-2792-7818

Netherlands | Eindhoven
31-40-267-7000

Poland | Warsaw
00800-2426-8080

USA | Milpitas, CA
1-408-519-3898

Worldwide Offices

Asia Pacific

Taiwan

Toll Free	0800-777-111
Taipei & IoT Campus	886-2-2792-7818
Taichung	886-4-2372-5058
Kaohsiung	886-7-392-3600

China

Toll Free	800-810-0345
Beijing	86-10-6298-4346
Shanghai	86-21-3632-1616
Shenzhen	86-755-8212-4222
Chengdu	86-28-8545-0198
Hong Kong	852-2720-5118

Middle East and Africa

Israel	072-2410527
Turkey	90-212-222-0422
Turkey-Bursa	90-224-413-3134

Asia Pacific

Japan

Toll Free	0800-500-1055
Tokyo	81-3-6802-1021
Osaka	81-6-6267-1887
Nagoya	81-0800-500-1055
Nogata	81-949-22-2890

Korea

Toll Free	080-363-9494/5
Seoul	82-2-3660-9255

Singapore

Singapore	65-6442-1000
-----------	--------------

Malaysia

Kuala Lumpur	60-3-7725-4188
Penang	60-4-537-9188

Thailand

Bangkok	66-02-2488306-9
---------	-----------------

Vietnam

Hanoi	84-24-3399-1155
Hochiminh	84-28-3836-5856

Indonesia

Jakarta	62-21-751-1939
---------	----------------

Australia

Toll Free	1300-308-531
Melbourne	61-3-9797-0100

India

Bangalore	91-94-4839-7300
Pune	91-94-2260-2349

Europe

Netherlands

Eindhoven	31-40-267-7000
Breda	31-76-523-3100

Germany

Toll Free	00800-2426-8080/81
Munich	49-89-12599-0
Düsseldorf	49-2103-97-855-0

France

Paris	33-1-4119-4666
-------	----------------

Italy

Milan	39-02-9544-961
-------	----------------

UK

Newcastle	44-0-191-262-4844
London	44-0-870-493-1433

Spain

Madrid	34-91-668-86-76
--------	-----------------

Sweden

Stockholm	46-0-864-60-500
-----------	-----------------

Poland

Warsaw	48-22-31-51-100
--------	-----------------

Russia

Moscow	8-800-555-01-50
St. Petersburg	8-812-332-57-27
	8-921-575-13-59

Czech Republic

Ústí nad Orlicí	420-465-524-421
-----------------	-----------------

Ireland

Galway	353-91-792444
--------	---------------

Americas

North America

Toll Free	1-888-576-9668
Boston	1-949-420-2531
Chicago	1-888-576-9668
Cincinnati	1-513-742-8895
Irvine	1-949-420-2500
Milpitas	1-408-519-3898
Ottawa	1-815-433-5100

Brazil

Toll Free	0800-770-5355
São Paulo	55-11-5592-5367

Mexico

Toll Free	1-800-467-2415
Mexico City	52-55-6275-2777

ADVANTECH

Enabling an Intelligent Planet

www.advantech.com

Please verify specifications before ordering. This guide is intended for reference purposes only.

All product specifications are subject to change without notice.

No part of this publication may be reproduced in any form or by any means, electronic, photocopying, recording or otherwise, without the prior written permission of the publisher.

All brand and product names are trademarks or registered trademarks of their respective companies.

© Advantech Co., Ltd. 2024