

# Datasheet

## Congatec


conga TC700

COM Express® Compact with Intel® Core™ Ultra Processors Meteor Lake U/H

# Intel® Core™ Ultra Processors

# conga-TC700


**COM Express®**




## VIRTUALIZATION READY


- Intel® performance hybrid architecture with up to 16 cores and 22 threads
- Integrated Intel® Arc™ Graphics - entry level discrete graphics performance up to 128EUs
- Intel® AI Boost – Integrated NPU accelerator
- Up to 96 GB RAM with in-band ECC
- PCI Express Gen 4 | USB 4

<b>Form factor</b>	COM Express® Compact   Type 6 connector pinout	
<b>CPUs</b>	Intel® Core™ Ultra Processors Meteor Lake-U/H (H-Series, U-Series)	
<b>DRAM</b>	2x SO-DIMM sockets for DDR5 memory modules up to 48 GB each (max. 96 GB RAM system capacity)   up to 5600 MT/s   in-band ECC	
<b>Mass Storage</b>	NVMe x4 SSD (optional) up to 1 TB capacity	
<b>Graphics</b>	Intel® Arc™ Graphics architecture   up to 8 X° Cores with 128 EUs	
<b>AI Acceleration</b>	Integrated NPU accelerator on all part numbers	
<b>Display</b>	Up to 3x DDI (2x shared with USB4)   LVDS or eDP   4x independent displays up to 8k	
<b>Ethernet</b>	2.5 GbE via Intel® i226 Ethernet controller series   Supporting TSN – Time Sensitive Networking (selected PNs)   Software Definable Pin (SDP) to be used for IEEE 1588	
<b>I/O Interfaces</b>	Up to 8 PCIe Gen5 PEG (H-Series) or up to 2x4 PCIe Gen4 PEG (U-Series)   up to 8 PCIe Gen4   up to 2x USB4   4x USB 3.2 Gen2 (incl. USB 2.0) + 8x USB 2.0   up to 2x SATA   2x UART   GPIOs   GP SPI   LPC   SM Bus   I2C	
<b>Audio</b>	HDA	
<b>congatec Board controller</b>	Next Gen 6 congatec Board Controller   Multi Stage Watchdog   non-volatile User Data Storage   Manufacturing and Board Information   Board Statistics I <sup>2</sup> C bus (fast mode, 400 kHz, multi-master)   Power Loss Control   Hardware Health Monitoring   POST Code Redirection	
<b>Embedded BIOS Feature</b>	AMI Aptio® UEFI firmware   64 Mbyte serial SPI with congatec Embedded BIOS feature   OEM Logo   OEM CMOS default settings   LCD Control   Display Auto Detection   Backlight Control   Flash Update	
<b>Security</b>	Trusted Platform Module (TPM 2.0)	
<b>Power Management</b>	ACPI 6.0 with battery support	
<b>Operating Systems</b>	Microsoft® Windows 11 IoT Enterprise   Microsoft® Windows 11   Microsoft® Windows 10 IoT Enterprise   Linux   Yocto	
<b>Hypervisor</b>	RTS Real-Time Hypervisor	
<b>Temperature</b>	Embedded Temp.: Operating 0°C to 60°C	Storage -20°C to 80°C
<b>Humidity</b>	Operating 10% to 85% r. H. non cond.	Storage 5% to 85% r. H. non cond.
<b>Size</b>	95 x 95 mm	



# conga-TC700 | Block Diagram



 Assembly option – only available on request

\*) U-Series: If assembly option for NVMe is used PEG port capability is 1x4 on PEG[0:3]

# conga-TC700 | Modules Order Information

Article	PN	Description
conga-TC700/ultra7-155H	045700	COM Express Type 6 Compact module based on Intel® Core™ Ultra 7 processor with 6 P-cores, 8 E-cores and 2 Low Power E-cores   P-cores 1.4Ghz up to 4.8GHz (turbo)   E-Cores 0.9GHz up to 3.8GHz (turbo)   Low Power E-cores up to 2.5GHz (turbo)   Integrated NPU   24MB Intel® Smart Cache   Intel® Arc™ graphics with 8 X <sup>e</sup> cores (128 EU)   Dual channel SODIMM DDR5 5600 MT/s memory interface   28W Base-TDP   Intel® code name Meteor Lake-H
conga-TC700/ultra5-135H	045701	COM Express Type 6 Compact module based on Intel® Core™ Ultra 5 processor with 4 P-cores, 8 E-cores and 2 Low Power E-cores   P-cores 1.7GHz up to 4.6GHz (turbo)   E-cores 1.2GHz up to 3.6GHz (turbo)   Low Power E-cores up to 2.5GHz (turbo)   Integrated NPU   18MB Intel® Smart Cache   Intel® Arc™ graphics with 8 Xe cores (128 EU)   Dual channel SODIMM DDR5 5600 MT/s memory interface   28W Base TDP   Intel® code name Meteor Lake-H
conga-TC700/ultra5-125H	045702	COM Express Type 6 Compact module based on Intel® Core™ Ultra 5 processor with 4 P-cores, 8 E-cores and 2 Low Power E-cores   P-cores 1.2GHz up to 4.5GHz (turbo)   E-cores 0.7GHz up to 3.6GHz (turbo)   Low Power E-cores up to 2.5GHz (turbo)   Integrated NPU   18MB Intel® Smart Cache   Intel® Arc™ graphics with 7 X <sup>e</sup> cores (112 EU)   Dual channel SODIMM DDR5 5600 MT/s memory interface   28W Base-TDP   Intel® code name Meteor Lake-H
conga-TC700/ultra7-155U	045710	COM Express Type 6 Compact module based on Intel® Core™ Ultra 7 processor with 2 P-cores, 8 E-cores and 2 Low Power E-cores   P-cores 1.7Ghz up to 4.8GHz (turbo)   E-cores 1.2GHz up to 3.8GHz (turbo)   Low Power E-cores up to 2.1GHz (turbo)   Integrated NPU   12MB Intel® Smart Cache   Intel® Graphics with 4 X <sup>e</sup> cores (64 EU)   Dual channel SODIMM DDR5 5600 MT/s memory interface   15W Base-TDP   Intel® code name Meteor Lake-U
conga-TC700/ultra5-125U	045711	COM Express Type 6 Compact module based on Intel® Core™ Ultra 5 processor with 2 P-cores, 8 E-cores and 2 Low Power E-cores   P-cores 1.3Ghz up to 4.3GHz (turbo)   E-cores 0.8GHz up to 3.6GHz (turbo)   Low Power E-cores up to 2.1GHz (turbo)   Integrated NPU   12MB Intel® Smart Cache   Intel® Graphics with 4 X <sup>e</sup> cores (64 EU)   Dual channel SODIMM DDR5 5600 MT/s memory interface   15W Base-TDP   Intel® code name Meteor Lake-U

# conga-TC700 | Accessories Order Information

Article	PN	Description
conga-TC700/CSA-HP-B	045750	Standard active cooling solution for high performance COM Express modules conga-TC700/TC750 with integrated heat pipes, 25.5mm height and integrated 12V fan. All standoffs are with 2.7mm bore hole.
conga-TC700/CSA-HP-T	045751	Standard active cooling solution for high performance COM Express modules conga-TC700/TC750 with integrated heat pipes, 25.5mm height and integrated 12V fan. All standoffs are M2.5mm threaded.
conga-TC700/CSP-HP-B	045752	Standard passive cooling solution for high performance COM Express modules conga-TC700/TC750 with integrated heat pipes, 24.7mm height. All standoffs are with 2.7mm bore hole.
conga-TC700/CSP-HP-T	045753	Standard passive cooling solution for high performance COM Express modules conga-TC700/TC750 with integrated heat pipes, 24.7mm height. All standoffs are M2.5mm threaded.
conga-TC700/HSP-HP-B	045754	Standard heatspreader for high performance COM Express modules conga-TC700/TC750 with integrated heat pipes, 11mm height. All standoffs are with 2.7mm bore hole.
conga-TC700/HSP-HP-T	045755	Standard heatspreader for high performance COM Express modules conga-TC700/TC750 with integrated heat pipes, 11mm height. All standoffs are M2.5mm threaded.
conga-TEVAL/COMe 3.0	065810	Evaluation carrier board for COM Express Type 6 revision 3.0 modules.
conga-TEVAL/COMe 3.1	065820	Evaluation carrier board for COM Express Type 6 revision 3.1 modules.
DDR5-SODIMM-5600 (8GB)	068930	DDR5 SODIMM memory module with up to 5600 MT/s and 8GB RAM, commercial temp 0°C to +60°C
DDR5-SODIMM-5600 (16GB)	068931	DDR5 SODIMM memory module with up to 5600 MT/s and 16GB RAM, commercial temp 0°C to +60°C
DDR5-SODIMM-5600 (32GB)	068932	DDR5 SODIMM memory module with up to 5600 MT/s and 32GB RAM, commercial temp 0°C to +60°C
DDR5-SODIMM-5600 (48GB)	068933	DDR5 SODIMM memory module with up to 5600 MT/s and 48GB RAM, commercial temp 0°C to +60°C

# FORTEC GROUP

---

Our company network supports you worldwide with offices in Germany, Austria, Switzerland, Benelux, Egypt, the UK and the USA. For more information please contact:

## FORTEC GROUP

FORTEC Elektronik AG | Augsburgener Straße 2b | 82110 Germering  
+49 89 894450-0  
[info@fortecag.de](mailto:info@fortecag.de) | [www.fortecag.de](http://www.fortecag.de)

---

## FORTEC INTEGRATED

FORTEC Integrated GmbH | Augsburgener Straße 2b | 82110 Germering  
+49 89 894363-0  
[info@fortec-integrated.de](mailto:info@fortec-integrated.de) | [www.fortec-integrated.de](http://www.fortec-integrated.de)

## FORTEC POWER

FORTEC Power GmbH | Lise-Meitner-Straße 3 | 64560 Riedstadt  
+49 6158 8285-0  
[weborder@fortec-power.de](mailto:weborder@fortec-power.de) | [www.fortec-power.de](http://www.fortec-power.de)

## FORTEC UNITED KINGDOM

FORTEC Technology UK Ltd. | Osprey House | 1 Osprey Court  
Hinchingsbrooke Business Park | Huntingdon | Cambridgeshire | PE29 6FN  
+44 1480 411600 | [info@fortec.uk](mailto:info@fortec.uk) | [www.fortec.uk](http://www.fortec.uk)

## FORTEC UNITED STATES

FORTEC United States, Corp. | 87 Raynor Avenue Unit 1 | Ronkonkoma  
NY | 11779 | +1 631 5804360  
[info@fortec.us](mailto:info@fortec.us) | [www.fortec.us](http://www.fortec.us)

## FORTEC CZECH REPUBLIC

FORTEC Czech Republic s.r.o. | Přátelství 275 | 330 02 Dýšina  
+49 89 894363-0  
[info@fortec.cz](mailto:info@fortec.cz) | [www.fortec.cz](http://www.fortec.cz)

## FORTEC SWITZERLAND

FORTEC Switzerland AG | Bahnhofstraße 3 | 5436 Würenlos  
+41 44 7446111  
[info@fortec.ch](mailto:info@fortec.ch) | [www.fortec.ch](http://www.fortec.ch)

## FORTEC EGYPT

FORTEC Electronic Design and Solution Egypt SMLC | Linx Business Park  
Unit B318 | Smart Village | Giza Governorate  
+20 120 1146222 | [info@fortec.eg](mailto:info@fortec.eg) | [www.fortec.eg](http://www.fortec.eg)

## FORTEC BENELUX

FORTEC Benelux B.V. | Everdenberg 79 | 4902 TT Oosterhout  
+31 162 515458  
[info@fortec-benelux.com](mailto:info@fortec-benelux.com) | [www.fortec-benelux.com](http://www.fortec-benelux.com)