

Datasheet

ASUS IoT

C5134ES-IM-AA

**3.5" SBC, Intel® Core™ i7/i5/i3 Processor , DDR5 SO DIMM, DP, HDMI, LVDS,
Dual LAN, Multiple COM, 9-36V DC**

FORTEC
UNITED STATES



FORTEC
INTEGRATED



FORTEC
UNITED KINGDOM




The information contained in this document has been carefully researched and is, to the best of our knowledge, accurate. However, we assume no liability for any product failures or damages, immediate or consequential, resulting from the use of the information provided herein. Our products are not intended for use in systems in which failures of product could result in personal injury. All trademarks mentioned herein are property of their respective owners. All specifications are subject to change without notice.

C5134ES-IM-AA

3.5" SBC, Intel® Core™ i7/i5/i3 Processor, DDR5 SO-DIMM, DP, HDMI, LVDS, Dual-LAN, Multiple COM, 9-36V DC

Features

- Up to 4 COM ports, includes 2 x RS-232/422/485, 2 x RS232
- Supports 4 display configuration by multiple interface: DP/HDMI*2/LVDS
- Supports I2C, SMBus and GPIO
- Wide temperature range endurance: -20~60 °C




Specifications

Processor System	CPU	Intel® Core™ i5-1345UE Processor (SoC) ,15W, 10 Core, vPro supported
	MAX. SPEED	6GHz
	L2 Cache	4MB
	CHIPSET	Integrated
Memory	Technology	DDR5 4800 MHz
	Max.	64GB
	Socket	2 x SO-DIMM
Display	Controller	Intel® Xe Graphics architecture, 4 Independent Displays, Up to 8K Display
	HDMI	2, Supports HDMI 2.0
	Display Port	1, Supports DP 1.4a
	LVDS	1 (colay with eDP)
	Embedded Display Port	1, Support eDP 1.4b (co-lay with LVDS, reserved, support by request)
Expansion Slot	Multi Display	HDMI + HDMI + DP + LVDS, HDMI + HDMI + DP + eDP
	Mini PCIe	1 x Full-Length Mini PCIe slot (with on-board Nano-SIM socket*1)
Ethernet	M.2	1 x M.2 Socket 1 with E key, type 2230 for WIFI/BT device and Intel® CNVi (2*PCIe x1) 1 x M.2 Socket 3 with M key, type 2242/2280 Gen 4 (PCIe x4 & SATA mode)
	Speed	10/100/1000Mbps/2.5G
	Controller	1 x Intel® i219LM, supports vPRO/WOL/PXE 1 x Intel® i225V, supports WOL/PXE
Audio	Connector	2 x RJ-45
Storage	Codec	Realtek ALC897 High Definition Audio
Rear I/O	SATA port	1 x SATA Gen 3.0, up to 6Gb/s
	Display Port	1
	HDMI	2
	USB3.2 gen2	4 (10G)
	LED (Back)	Power status, HDD R/W
Internal Connector	Ethernet	2
	Serial Port	4 x header (2 x RS232/422/485 w/ ring, 1 x RS232 w/ Ring/5V/12V, 1 x RS232 w/ring)
	USB2.0	1 x header support additional 2 x USB2.0 connectors
	Chassis fan header	1
	Front Panel Audio Header	1
	Internal Stereo Speaker Header	1 (4-pin), with AMP IC
	System panel header	1
	SATA power header	1(4-pin)
	GPIO header	1 (8 bit)
	SMBus header	1, 4pin
I2C header	1, 3pin	
Internal Jumper	Power connector	1 x 4-pin ATX power connector
	Clear CMOS jumper	1, 2pin
	AT/ATX select jumper	1, 2pin
	Chassis Intrusion connector	1, 2pin
	LVDS Panel Power Selection jumper	1, 3pin
	COM Debug header	1, 3pin
	COM RS232 Ring/5V/12V Selection jumper	1, 6pin

Specifications

Watchdog Timer	BIOS	Yes
Security	TPM	SPI TPM header
Power	Power Type	DC input
	Power Conn	ATX 2x2 pin (Jack to 4pin cable, accessory by request)
	Voltage	9-36V DC input
Operating System	Microsoft Windows	Win10 IoT Enterprise 2021 LTSC
	Linux	Ubuntu, Linux Yocto
Environment	Operating Temperature	-20~60° C
	Non-Operating Temperature	-40~85° C
	Relative Humidity	Operating: 40° C @95% relative humidity, non-condensing Non-operating: 60° C @95% relative humidity, non-condensing
Dimension	Form Factor	3.5", 146 x 105 mm
Certification	EMC, Safety	CE, FCC, BSMI, VCCI, ISED, EN62368

Block Diagram



Ordering Information

Model Name	Part Number	Description
	90ME*	

Packing List

Part number	Description	Quantity
14013*	SATA 6G CABLE	1
14011*	COM CABLE	1

* The part number might vary due to part number revision.

Our company network supports you worldwide with offices in Germany, Austria, Switzerland, the UK and the USA.
For more information please contact:

Headquarters

Germany



FORTEC
GROUP

FORTEC Elektronik AG
Augsburger Str. 2b
82110 Germering

Phone: +49 89 894450-0
E-Mail: info@fortecag.de
Internet: www.fortecag.de

Fortec Group Members

Austria



FORTEC
INTEGRATED

FORTEC Integrated GmbH Office Vienna
Nuschinggasse 12
1230 Wien

Phone: +43 1 8673492-0
E-Mail: info@fortec-integrated.de
Internet: www.fortec-integrated.de

Germany



FORTEC
INTEGRATED

FORTEC Integrated GmbH
Augsburger Str. 2b
82110 Germering

Phone: +49 89 894363-0
E-Mail: info@fortec-integrated.de
Internet: www.fortec-integrated.de

Switzerland



FORTEC
SWITZERLAND

FORTEC Switzerland AG
Bahnhofstraße 3
5436 Würenlos

Phone: +41 44 7446111
E-Mail: info@fortec.ch
Internet: www.fortec.ch

United Kingdom



FORTEC
UNITED KINGDOM

FORTEC Technology UK Ltd.
Osprey House, 1 Osprey Court
Hinchingbrooke Business Park
Huntingdon, Cambridgeshire, PE29 6FN

Phone: +44 1480 411600
E-Mail: info@fortec.uk
Internet: www.fortec.uk

USA



FORTEC
UNITED STATES

FORTEC US, Corp.
87 Raynor Avenue, Unit 1
Ronkonkoma, NY 11779

Phone: +1 631 5804360
E-Mail: info@fortec.us
Internet: www.fortec.us