

Datasheet

ASUS IoT

C7146ES-IM-AA

**3.5" SBC, Intel® Core™ Ultra Processor Meteor Lake U/H, DDR5 SO DIMM,
HDMI, DP, USB C, LVDS, Dual LAN, Multiple COM, 9-36V DC input**

FORTEC
UNITED STATES



FORTEC
INTEGRATED



FORTEC
UNITED KINGDOM



The information contained in this document has been carefully researched and is, to the best of our knowledge, accurate. However, we assume no liability for any product failures or damages, immediate or consequential, resulting from the use of the information provided herein. Our products are not intended for use in systems in which failures of product could result in personal injury. All trademarks mentioned herein are property of their respective owners. All specifications are subject to change without notice.

C7146ES-IM-AA

3.5" SBC, Intel® Core™ Ultra Processor, DDR5 SO-DIMM, HDMI, DP, USB-C, LVDS, Dual-LAN, Multiple COM, 9-36V DC-in put

Features

- Four display configurations by multiple interface: HDMI 2.0, DP 1.4, USB-C, LVDS/eDP
- Equipped with three M.2 slots for LTE/5G/WiFi 6E/BT 5.2 connectivity
- Wide range of power inputs (9~36V) and operating temperatures (-20°~60°)




Specifications

Processor System	CPU	Intel® Core™ Ultra 7 processor 165U, vPro supported
	TDP	15W
	# of Cores	12
	Base Freq.	1.7 GHz
	Max Turbo Freq.	4.9 GHz
Memory	Technology	DDR5 5600 MHz
	Max.	64GB
	Socket	2 x SO-DIMM
Display	Controller	Intel® Xe LPG Graphics
	HDMI	1, Supports HDMI 2.0 up to 4096 x 2160 @ 60 Hz
	Display Port	1, Supports DP 1.4 up to 5120 x 3200 @ 60 Hz
	USB-C	1, Supports USB3.2 Gen2 (DP 1.4 Alt. Mode)
	LVDS	1, Supports 1920 x 1080 @ 60 Hz (co-lay with eDP)
	Embedded Display Port	1, Supports eDP 1.4b (co-lay with LVDS, reserved and support by request)
Expansion Slot	M.2	4 Display Configuration: HDMI + DP + USB-C + LVDS/eDP
		1 x 3042/3052 M.2 B Key for LTE/5G device connected to Nano-SIM socket (PCIe x1)
		1 x 2230 M.2 E key for WIFI 6E/BT 5.2 device (USB 2.0/ PCIe x1/ CNVi)
		1 x 2280 M.2 M key for PCIe storage (PCIe x4)
Ethernet	Speed	10/100/1000Mbps/2.5G
	Controller	1 x Intel® i219LM, 1 x Intel® I226IT
	Connector	2 x RJ-45
Audio	Codec	Realtek ALC897 High Definition Audio
Storage	SATA port	1 x SATA Gen 3.0, up to 6Gb/s
Rear I/O	HDMI	1
	Display Port	1
	USB-C	1
	USB 3.2 Gen2	4 (10G)
	LED (Back)	Power status, HDD R/W
	Ethernet	2
Internal Connectors& Jumpers	Serial Port	4 (RS232/422/485)
	USB2.0	1 x Header support additional 2 x USB2.0 ports
	Chassis Fan Header	1
	Chassis Intrusion Connector	1 (2-pin)
	Front Panel Audio Header (AAFP)	1
	Internal Stereo Speaker Header	1 (4-pin) with AMP IC
	System Panel Header	1
	SATA Power Header	1 (4-pin)
	GPIO Header	1 (8-bit)
	SMBus Header	1 (4-pin)
	I ² C Header	1 (3-pin)
	Power Connector	1 x WAFER Header (4-pin)
	AMP Header	1
	COM Debug Header	1
	AT/ATX Select Jumper	1 (2-pin)
	LVDS Panel Power selection Jumper	1 (3-pin)
	COM RS232 Ring/5V/12V Selection Jumper	2 (6-pin)

Specifications

Watchdog Timer	BIOS	YES
Security	TPM	1 x SPI TPM header
Power	Power Type	DC power input
	Voltage	9V-36V
Operating System	Microsoft Windows	Windows 10 IoT Enterprise
	Linux	Ubuntu
Environment	Operating Temperature	-20~60° C
	Non-Operating Temperature	-40~85° C
	Relative Humidity	10 to 95% (non condensing)
Dimension	Form Factor	3.5", 146 x 105 mm
Certification	EMC, Safety	CE, FCC, BSMI, VCCI, ISED, EN62368

Block Diagram



Order Information

Model name	Part number	Description
C7146ES-IM-AA	90ME093*	BGA2049, ULTRA 7, 165U, HDMI, DP, USB C, MB

* The part number might vary for different regulations and package. Please consult the TPM in your region for exact 90PN.

Packing List

Part number	Description	Quantity
14013*	SATA 6G CABLE	1

* The part number might vary due to part number revision.

Our company network supports you worldwide with offices in Germany, Austria, Switzerland, the UK and the USA. For more information please contact:

Headquarters

Germany



FORTEC
GROUP

FORTEC Elektronik AG
Augsburger Str. 2b
82110 Germering

Phone: +49 89 894450-0
E-Mail: info@fortecag.de
Internet: www.fortecag.de

Fortec Group Members

Austria



FORTEC
INTEGRATED

FORTEC Integrated GmbH Office Vienna
Nuschinggasse 12
1230 Wien

Phone: +43 1 8673492-0
E-Mail: info@fortec-integrated.de
Internet: www.fortec-integrated.de

Germany



FORTEC
INTEGRATED

FORTEC Integrated GmbH
Augsburger Str. 2b
82110 Germering

Phone: +49 89 894363-0
E-Mail: info@fortec-integrated.de
Internet: www.fortec-integrated.de

Switzerland



FORTEC
SWITZERLAND

FORTEC Switzerland AG
Bahnhofstraße 3
5436 Würenlos

Phone: +41 44 7446111
E-Mail: info@fortec.ch
Internet: www.fortec.ch

United Kingdom



FORTEC
UNITED KINGDOM

FORTEC Technology UK Ltd.
Osprey House, 1 Osprey Court
Hinchingbrooke Business Park
Huntingdon, Cambridgeshire, PE29 6FN

Phone: +44 1480 411600
E-Mail: info@fortec.uk
Internet: www.fortec.uk

USA



FORTEC
UNITED STATES

FORTEC US, Corp.
87 Raynor Avenue, Unit 1
Ronkonkoma, NY 11779

Phone: +1 631 5804360
E-Mail: info@fortec.us
Internet: www.fortec.us